



UNITED STATES DEPARTMENT OF COMMERCE
Patent and Trademark Office
ASSISTANT SECRETARY AND COMMISSIONER OF
PATENTS AND TRADEMARKS
Washington, D.C. 20231

BEFORE THE BOARD OF PATENT APPEALS
AND INTERFERENCES

Paper No. 28

Serial Number: 08/120303
Filing Date: September 13, 1993
Appellant(s): Jacobs et al.

Joseph Shirtz
For Appellant

MAILED
AUG 22 1995
GROUP 1800

SUPPLEMENTAL EXAMINER'S ANSWER

This is in response to appellant's reply brief on appeal
filed 05/08/95.

(11) *Response to argument.*

Appellant argues in the above-noted reply brief that each of
the references cited in the new grounds of rejection, set forth
in the Examiner's Answer, fails to include a means for connecting
the vessel opening to a lumen.

It is noted that each of the containers taught in Al-Sioufi,
Fisher Scientific and Engel, as described in the grounds of
rejection, includes a single vessel opening. The originally
filed specification teaches at page 3 thereof that "[i]n its
simplest form, the means of connecting the vessel to the end of
the instrument tube may comprise something as simple as a piece


Serial Number: 08/120303
Art Unit: 1809

-2-

of firm but flexible tubing, such as tygon tubing of appropriate diameter such that one end of the tubing may be inserted in or disposed about the opening of the vessel, and the end inserted or disposed about the lumen of the instrument so as to be securely join the two." It is further noted that the described tubing would itself constitute a lumen. As such, the originally filed specification teaches the opening of mouth of the vessel as constituting an appropriate means for connecting to a lumen.

For the above reasons, supplemental to those set forth in the Examiner's Answer, it is believed that the rejections should be sustained.

Respectfully submitted,


JEFFREY R. SNAY
PRIMARY EXAMINER
GROUP 1800

8/21/95

jrs

August 21, 1995